

PATIENT NAME: Dotson, John  
MRN: 012-34-5679  
DOB: 05/25/1942  
SEX: M  
ACCESSION: SP-07-00111

## PATHOLOGY REPORT

COLLECTION DATE: 01/22/07  
RECEIVED DATE: 01/22/07  
REPORT DATE: 01/24/07

SPECIMEN SUBMITTED:  
Left colon

ESSENTIAL CLINICAL DATA:  
Left colon tumor

### GROSS DESCRIPTION:

Received unfixed is a segment of colon designated left colon measuring 15 cm in length. The attached mesocolon measures 14 x 2 cm. The serosa of the meso and epiploic appendices appear unremarkable. The specimen is opened to reveal a 6.5 cm in length by 5 cm in circumference approximately 90% circumferential exophytic mass based on the mesocolic aspect having coarsely papillary and nodular external surface projecting into the lumen and partially obstructing it. It is 4 cm from the nearest surgical margin. 1.5 cm adjacent to the large tumor, on the side opposite the shortest surgical margin, is a second lesion measuring 2 cm in greatest dimension with the appearance of a pedunculated polyp. The large mass is serially sectioned to reveal a primarily exophytic mass with extension into, but not grossly infiltrating pericolic fat. The closest radial margin is 1.5 cm. Serial sectioning of mesocolon reveals a few subcentimeter lymph nodes. On section metastatic carcinoma is not suspected grossly. The specimen is representatively submitted as follows:

A-B Tumor  
C Tumor, deepest penetration  
D Polyp  
E-F Mesocolic lymph nodes

### MICROSCOPIC DESCRIPTION:

There are sections of colon and lymph nodes. Section of the large fungating colonic adenocarcinoma reveal moderately differentiated adenocarcinoma extending through the muscularis propria to the interface of colon and pericolic fat without extension to free peritonealized surfaces. The pedunculated polypoid lesion is a moderately differentiated

adenocarcinoma confined to the mucosa. There are a total of thirteen (13) pericolic lymph nodes. No metastatic carcinoma is identified.

**DIAGNOSIS:**

Colon (left hemicolectomy):

- Infiltrating moderately differentiated colonic adenocarcinoma extending through muscularis propria to interface with mesocolic fat.
- Second polypoid moderately differentiated adenocarcinoma in situ.
- Thirteen (13) pericolic lymph nodes, negative for metastatic carcinoma.

**COMMENT:**

The larger tumor represents a T3 N0 MX stage IIA lesion. The closest longitudinal surgical margin is 4 cm. The closest radial margin is 1.5 cm, no vascular or perineural invasion is identified. All surgical margins are clear. There are thirteen (13) negative lymph nodes. The adjacent small polypoid carcinoma is a T1 lesion.

T67995, M81403, T08000

ICD9/CPT CODE:

154.0/88309

## Acsn # | \_\_\_\_\_ / \_\_\_\_\_

City/St|\_\_\_\_Unknown\_\_\_\_\_|\_ZZ\_| Zip + 4|\_99999\_|\_\_\_\_\_| Area Code/Phone #|\_999/\_999\_-9999\_|

Comments

**DIAGNOSIS IDENTIFICATION** Seq #   00  

Laterality |0\_\_| Dx Confirm |\_1\_| Rpt Src |\_3\_| Casef Src |40\_\_| Class/Case |\_0\_|

Supporting Text 1/22/07-Lt hemicolectomy-infil md adenoca ext thru muscularis propria to inter-  
Face with mesocolic fat. Second polypoid md adenoca in situ. Mass 6.5cm in size.  
Thirteen pericolic LNS neg for ca.

Admit | \_\_\_\_/\_\_\_\_/\_\_\_\_ | D/C | \_\_\_\_/\_\_\_\_/\_\_\_\_ |

CS T Eval | \_\_\_\_\_

CS N Eval | \_\_\_\_\_|

CS M Eval | \_\_\_\_ |

#6 | \_\_\_\_\_

|\_\_9\_\_|    Version |CCC|    Derived |CCC|

cT	N	M	Stage	Descrip	Staged By
----	---	---	-------	---------	-----------

Staging Descrip \_\_\_\_\_

Date Init Rx | | / | / |

## Surgery

Date|\_\_\_\_/\_\_\_\_/\_\_\_\_| Surg Prim Site |\_\_\_\_| Scope LN |\_\_\_\_| Other|\_\_\_\_| Reason No Surg |\_\_\_\_|

## OTHER TREATMENT

Date / /  BRM Sum  Other Rx Sum  Transpl/Endocr Sum

## PHYS SEQ

N = \_\_\_\_\_

M = \_\_\_\_\_ Ref From \_\_\_\_\_

R = \_\_\_\_\_ Add \_\_\_\_\_

F = \_\_\_\_\_ Ref To \_\_\_\_\_

2 = \_\_\_\_\_ Add \_\_\_\_\_

3 = \_\_\_\_\_ Comments: \_\_\_\_\_

## PT STATUS

Date Last Contact |\_01\_|/\_22\_|/\_2007\_| Vital Stat |1\_| CA Status || FU Source |\_0\_|

COD (ICD) | \_\_\_\_\_ | ICD Revision | \_\_\_\_\_

## OVERWRITE FLAGS

Age/Site/Morph	CCC	SeqNo/Dx	Conf	CCC	Site/Lat/SeqNo	CCC	Site/Type	CCC	Histol	CCC
----------------	-----	----------	------	-----	----------------	-----	-----------	-----	--------	-----

Rept Source	CCC	Ill-def Site	CCC	Leuk,Lymph	CCC	Site/Beh	CCC	Site/Lat/Morph	CCC
-------------	-----	--------------	-----	------------	-----	----------	-----	----------------	-----

### Additional Data

Census Tract	CCC	Cen Cod Sys	CCC	Cen Year	CCC	Cen Tr Cert	CCC
--------------	-----	-------------	-----	----------	-----	-------------	-----

NHIA Hisp Orig	CCC	IHS link	CCC	Comp Ethn	CCC	Comp Ethn Src	CCC
----------------	-----	----------	-----	-----------	-----	---------------	-----

Rec Type	CCC	Unique Pt ID	CCC	Reg ID	CCC	NAACCR Rec Ver	CCC
----------	-----	--------------	-----	--------	-----	----------------	-----

**KEY** Data items in **Bold** are required fields. Other data items are optional or “advanced surveillance”  
 [ccc] computed field, no manual input    Shaded are optional non-NPCR items